

CITY OF MENIFEE - FEBRUARY 2023

CAL FIRE/Riverside County Fire Department

Emergency Incident Statistics



Bill Weiser

Fire Chief

3/5/2023

Report Provided By: Riverside County Fire Department

Communications and Technology Division


GIS Section

Please refer to Map and Incident by Battalion, Station, Jurisdiction

Incidents Reported for the month of February, 2023 and City of Menifee And Both (Code 2, Alpha, Omega, Code 3, Charlie, Delta, Bravo, Echo)
*Incidents are shown based on the primary response area for the incident location. This does not represent total response times for all units only the first unit in.

Response Activity

Incidents Reported for the month of February, 2023 and City of Menifee And Both (Code 2, Alpha, Omega, Code 3, Charlie, ~~Delta~~, ~~Bravo~~, ~~Echo~~)



False Alarm	53	5.3%
Haz Mat	2	0.2%
Medical	793	79.9%
Multi-Fam Dwelling Fire	1	0.1%
Other Fire	2	0.2%
Other Misc	7	0.7%
Public Service Assist	58	5.8%
Res Fire	5	0.5%
Rescue	2	0.2%
Ring Alarm	3	0.3%
Standby	11	1.1%
Traffic Collision	53	5.3%
Vehicle Fire	2	0.2%
Total:	992	100.0%

False Alarm	53
Haz Mat	2
Medical	793
Multi-Fam Dwelling Fire	1
Other Fire	2
Other Misc	7
Public Service Assist	58
Res Fire	5
Rescue	2
Ring Alarm	3
Standby	11
Traffic Collision	53
Vehicle Fire	2
Incident Total:	992

Average Enroute to Onscene Time*

Enroute Time = When a unit has been acknowledged as responding. Onscene Time = When a unit has been acknowledge as being on scene. For any other statistic outside Enroute to Onscene please contact the IT Help Desk at 951-940-6900


<5 Minutes	+5 Minutes	+ 10 Minutes	+ 20 Minutes	Average	% 0 to 5 min
617	370	40	4	5.0	62.2%

*CODE 3 and CODE 2 incidents are included in the total count of incidents and the average Enroute to Onscene Time.

Incidents by Battalion, Station and Jurisdiction


			False Alarm	Haz Mat	Medical	Multi-Fam Dwelling Fire	Other Fire	Other Misc	Public Service Assist	Res Fire	Rescue	Ringling Alarm	Standby	Traffic Collision	Vehicle Fire	Total
Battalion 1	Station 54 Homeland	City of Menifee	3	0	30	0	1	1	0	1	1	0	0	10	0	47
		Station Total	3	0	30	0	1	1	0	1	1	0	0	10	0	47
	Station 101 Perris City	City of Menifee	0	0	2	0	0	0	0	0	0	0	1	1	0	4
		Station Total	0	0	2	0	0	0	0	0	0	0	0	1	1	0
	Battalion Total		3	0	32	0	1	1	0	1	1	0	1	11	0	51
Battalion 13	Station 5 Quail Valley	City of Menifee	9	1	68	0	0	1	2	0	0	0	0	4	0	85
		Station Total	9	1	68	0	0	1	2	0	0	0	0	4	0	85
	Station 7 Sun City	City of Menifee	12	0	410	0	1	4	42	1	1	1	6	10	0	488
		Station Total	12	0	410	0	1	4	42	1	1	1	6	10	0	488
	Station 68 Menifee	City of Menifee	6	0	70	0	0	1	5	2	0	1	1	11	0	97
		Station Total	6	0	70	0	0	1	5	2	0	1	1	11	0	97
	Station 76 Menifee Lakes	City of Menifee	23	1	213	1	0	0	9	1	0	1	3	15	2	269
		Station Total	23	1	213	1	0	0	9	1	0	1	3	15	2	269
	Battalion Total		50	2	761	1	1	6	58	4	1	3	10	40	2	939
Battalion 15	Station 73 Rancho California	City of Menifee	0	0	0	0	0	0	0	0	0	0	0	2	0	2
		Station Total	0	0	0	0	0	0	0	0	0	0	0	2	0	2
	Battalion Total		0	0	0	0	0	0	0	0	0	0	0	2	0	2
Grand Total			53	2	793	1	2	7	58	5	2	3	11	53	2	992

MONTH = 2 and YEAR = 2023 and CITYNAME = 'Menifee'



Legend

- | | | | |
|---|--|--|--|
| ● Fire | ● Medical | Riverside County |  Fire Station |
| ● Hazard | ● Other Misc | Reservations |  Casinos |
| ● Haz Mat | ● PSA | | |



Riverside County Fire GIS

STATION ACTIVITIES AND EVENTS

School and Education Event Programs: No school events

Station Tours: No station tours

AUTO AID

Meniffee to Canyon Lake	5
Canyon Lake to Meniffee	2

ASSISTANCE

Meniffee Units out of City	104
Received into City	53



**RIVERSIDE COUNTY FIRE DEPARTMENT
OFFICE OF THE FIRE MARSHAL
CITY OF MENIFEE**



MONTHLY ACTIVITY REPORT – FEBRUARY 2023

ACTIVITY	TOTAL
Total Number of Plan Reviews Completed	64
Plan Review Turnaround Time <small>(Goal is 10 Days)</small>	10
Total Number of Inspections Conducted	158
Inspection Turnaround Time <small>(Goal is within 3 Days of Contact)</small>	2
Planning & Development Cases Reviewed	13
Weed Abatement Inspections	0
Special Event Inspections	0
Description of Significant Activities/Major Accomplishments:	



Riverside County Fire Department/ CAL FIRE

Significant Incident Report Form for City of Menifee



Bill Weiser

Fire Chief

Incident Description

Incident Number:	23CARRU030645	Incident Date:	2/28/2023 4:30:00AM
Incident Name:	4th	Acres Burned:	0
Incident Location:	25679 4TH st	Occupancy:	Single Family Residence
Incident Area:	Menifee	Fire Cause:	Undetermined
Total Lost:	\$300,000.00	Total Saved:	\$0.00
Activated:	None Reported		

Comments/Narrative

CAL FIRE / Riverside County Firefighters were dispatched to a reported residential structure fire. First arriving captain reported a single story, single family dwelling well involved with fire. An aggressive fire attack kept the fire to structure of origin, but the structure was a total loss.

Two adult males displaced by the fire and Red Cross was requested.

City of Menifee Building and Safety notified.

Evacuations/Displaced

Total	Children	Adults
2	0	2

Property Damage

Residential	Commercial	Out Buildings	Vehicles
0	0	0	0
0	0	0	0
1	0	0	0

Resources

First Due Station:	54 Homeland	Incident Duration:	3 HR						
Engines:	6	Ambulance - Air:	0	Haz Mat Units:	0	Air Attacks:	0	Chief Officers:	1
Truck Co's:	1	Ambulance - Grd:	0	Water Tenders:	0	Air Tankers:	0	Firefighters:	25
Squads:	1	Breathing Support:	1	Bulldozers:	0	Helicopters:	0	Fire Crews:	0
Medic Unit:	0							Overhead Pers:	0

Cooperating Agencies

Menifee PD
Southern California Edison
Southern California Gas

Prepared By

Created Date:	2/28/2023 6:36:00AM	Created By:	WILLIAM LAWE II
Approved Date:	2/28/2023 6:36:00AM	Approved By:	WILLIAM LAWE II, BATTALION CHIEF



Riverside County Fire Department/ CAL FIRE

Significant Incident Report Form for City of Menifee



Bill Weiser

Fire Chief

Incident Description

Incident Number:	23CARRU029762	Incident Date:	2/26/2023 9:55:00AM
Incident Name:	Scott	Acres Burned:	0
Incident Location:	27701 Scott Rd	Occupancy:	Commercial Building
Incident Area:	Menifee	Fire Cause:	
Total Lost:	\$25,000.00	Total Saved:	
Activated:	None Reported		

Comments/Narrative

CAL FIRE / Riverside County Firefighters were dispatched to a reported traffic collision with a vehicle into a commercial building. First arriving Captain reported one passenger vehicle through the front of a vacant commercial building. There were no injuries but significant cosmetic damage to the front of the building. City of Menifee Building and Safety notified.
City of Menifee Public Works responded for the board up and security of the building .

Property Damage	Residential	Commercial	Out Buildings	Vehicles
Threatened:	0	0	0	0
Damaged:	0	1	0	0
Destroyed:	0	0	0	0

Resources

First Due Station:	68 Menifee	Incident Duration:	1 HR						
Engines:	1	Ambulance - Air:	0	Haz Mat Units:	0	Air Attacks:	0	Chief Officers:	1
Truck Co's:	1	Ambulance - Grd:	1	Water Tenders:	0	Air Tankers:	0	Firefighters:	0
Squads:	0	Breathing Support:	0	Bulldozers:	0	Helicopters:	0	Fire Crews:	0
Medic Unit:	0							Overhead Pers:	0

Prepared By

Created Date:	2/26/2023 4:53:00PM	Created By:	WILLIAM LAWE II
Approved Date:	2/26/2023 4:53:00PM	Approved By:	WILLIAM LAWE II, BATTALION CHIEF



Riverside County Fire Department/ CAL FIRE

Significant Incident Report Form for City of Menifee



Bill Weiser

Fire Chief

UPDATE

Incident Description

Incident Number:	23CARRU028214	Incident Date:	2/23/2023 12:20:00PM
Incident Name:	215	Acres Burned:	0
Incident Location:	South bound Interstate 215 North of I	Occupancy:	Interstate
Incident Area:	Menifee	Fire Cause:	
Total Lost:		Total Saved:	
Activated:	None Reported		

Comments/Narrative

Firefighters responded to the above location to a reported traffic accident with fire. Once the first company officer arrived at scene they found one vehicle off the interstate on its side with no fire. The driver of the vehicle was non injury. When the vehicle went off the interstate and landed on its side the natural gas tank was punctured causing a natural gas leak from the vehicle. Currently southbound Interstate 215 half mile north of Newport Rd. is closed to protect the public from the leak. Crews are on standby awaiting the leaking tank to expel, its material so the hazard will be mitigated.

Resources

First Due Station:	07 Sun City	Incident Duration:	1.5 hours						
Engines:	2	Ambulance - Air:	0	Haz Mat Units:	0	Air Attacks:	0	Chief Officers:	1
Truck Co's:	0	Ambulance - Grd:	1	Water Tenders:	0	Air Tankers:	0	Firefighters:	0
Squads:	1	Breathing Support:	0	Bulldozers:	0	Helicopters:	0	Fire Crews:	0
Medic Unit:	0							Overhead Pers:	0

Cooperating Agencies

CHP
Menifee PD
Riv. County Env. Health
AMR

Attachments



Prepared By

Created Date:	2/23/2023 1:27:00PM	Created By:	BRENT NORWINE
Approved Date:	2/23/2023 1:42:00PM	Approved By:	BRENT NORWINE, BATTALION CHIEF
Modified Date:	2/23/2023 1:42:00PM	Modified By:	BRENT NORWINE, BATTALION CHIEF



Riverside County Fire Department/ CAL FIRE

Significant Incident Report Form for City of Menifee



Bill Weiser

Fire Chief

Incident Description

Incident Number:	23CARRU026649	Incident Date:	2/20/2023 2:17:00PM
Incident Name:	Cox	Acres Burned:	0
Incident Location:	32930 Cox Rd	Occupancy:	Single Family Residence
Incident Area:	Menifee	Fire Cause:	Undetermined
Total Lost:	\$20,000.00	Total Saved:	\$250,000.00
Activated:	None Reported		

Comments/Narrative

CAL FIRE / Riverside County Firefighters were dispatched to a reported residential structure fire at the above address. First arriving Captain reported a single family residence with light smoke from the eaves. After further investigation a small fire was located in the attic space. Quick action from crews on scene kept the fire to area of origin in the attic space.

City of Menifee building and safety notified due to Edison pulling the meter.

No injuries reported.

The incident did cause the displacement of two and Red Cross contacted.

Evacuations/Displaced	Total	Children	Adults
	2	0	2

Property Damage	Residential	Commercial	Out Buildings	Vehicles
Threatened:	0	0	0	0
Damaged:	1	0	0	0
Destroyed:	0	0	0	0

Resources

First Due Station:	68 Menifee	Incident Duration:	2 HRS						
Engines:	2	Ambulance - Air:	0	Haz Mat Units:	0	Air Attacks:	0	Chief Officers:	1
Truck Co's:	1	Ambulance - Grd:	0	Water Tenders:	0	Air Tankers:	0	Firefighters:	10
Squads:	0	Breathing Support:	0	Bulldozers:	0	Helicopters:	0	Fire Crews:	0
Medic Unit:	0							Overhead Pers:	0

Prepared By

Created Date:	2/20/2023 3:33:00PM	Created By:	WILLIAM LAWE II
Approved Date:	2/20/2023 3:33:00PM	Approved By:	WILLIAM LAWE II, BATTALION CHIEF



Riverside County Fire Department/ CAL FIRE

Significant Incident Report Form for City of Menifee



Bill Weiser

Fire Chief

Incident Description

Incident Number:	23CARRU116500	Incident Date:	2/1/2023 11:13:00AM
Incident Name:	Bridge	Acres Burned:	0
Incident Location:	28621 Bridge Water Ln	Occupancy:	Single Family Residence
Incident Area:	Menifee	Fire Cause:	Undetermined
Total Lost:	\$50,000.00	Total Saved:	\$500,000.00
Activated:	Fire Alarm		

Comments/Narrative

CAL FIRE / Riverside County Firefighters were dispatched to a reported residential structure fire at the above address. First arriving engine reported a two story single family dwelling with smoke showing from the garage. The fire was contained to the garage with smoke damage throughout the residence.

City of Menifee building and safety was requested to respond to the incident and the residence was red tagged. Red Cross was requested to assist the tenant.

Evacuations/Displaced

Total	Children	Adults
1	0	1

Property Damage

Residential	Commercial	Out Buildings	Vehicles
Threatened: 0	0	0	0
Damaged: 1	0	0	0
Destroyed: 0	0	0	0

Resources

First Due Station:	76 Menifee Lakes	Incident Duration:	1.5 Hrs	
Engines: 5	Ambulance - Air: 0	Haz Mat Units: 0	Air Attacks: 0	Chief Officers: 1
Truck Co's: 1	Ambulance - Grd: 0	Water Tenders: 0	Air Tankers: 0	Firefighters: 19
Squads: 0	Breathing Support: 0	Bulldozers: 0	Helicopters: 0	Fire Crews: 0
Medic Unit: 0				Overhead Pers: 0

Prepared By

Created Date:	2/1/2023 12:32:00PM	Created By:	WILLIAM LAWE II
Approved Date:	2/1/2023 12:32:00PM	Approved By:	WILLIAM LAWE II, BATTALION CHIEF