

**CITY OF MENIFEE - MAY 2023**  
**CAL FIRE/Riverside County Fire Department**

**Emergency Incident Statistics**



**Bill Weiser**

**Fire Chief**

6/5/2023

**Report Provided By: Riverside County Fire Department**

**Communications and Technology Division**


**GIS Section**

**Please refer to Map and Incident by Battalion, Station, Jurisdiction**

Incidents Reported for the month of May, 2023 and City of Menifee And Both (Code 2, Alpha, Omega, Code 3, Charlie, Delta, Bravo, Echo)  
\*Incidents are shown based on the primary response area for the incident location. This does not represent total response times for all units only the first unit in.

## Response Activity

Incidents Reported for the month of May,2023 and City of Menifee And Both (Code 2, Alpha, Omega, Code 3, Charlie, Delta, Bravo, Echo)



False Alarm	46	4.0%
Medical	940	82.0%
Other Fire	12	1.0%
Other Misc	6	0.5%
Public Service Assist	67	5.8%
Res Fire	3	0.3%
Rescue	1	0.1%
Ringin Alarm	3	0.3%
Standby	6	0.5%
Traffic Collision	57	5.0%
Vehicle Fire	2	0.2%
Wildland Fire	3	0.3%
Total:	1,146	100.0%

False Alarm	46
Medical	940
Other Fire	12
Other Misc	6
Public Service Assist	67
Res Fire	3
Rescue	1
Ringin Alarm	3
Standby	6
Traffic Collision	57
Vehicle Fire	2
Wildland Fire	3
<b>Incident Total:</b>	<b>1,146</b>

### Average Enroute to Onscene Time\*

Enroute Time = When a unit has been acknowledged as responding. Onscene Time = When a unit has been acknowledge as being on scene. For any other statistic outside Enroute to Onscene please contact the IT Help Desk at 951-940-6900


<5 Minutes	+5 Minutes	+ 10 Minutes	+ 20 Minutes	Average	% 0 to 5 min
738	317	82	5	5.1	64.4%

\*CODE 3 and CODE 2 incidents are included in the total count of incidents and the average Enroute to Onscene Time.

## Incidents by Battalion, Station and Jurisdiction

			False Alarm	Medical	Other Fire	Other Misc	Public Service Assist	Res Fire	Rescue	Ringing Alarm	Standby	Traffic Collision	Vehicle Fire	Wildland Fire	Total
Battalion 1	Station 54 Homeland	City of Menifee	1	39	1	0	0	0	0	0	0	3	0	0	44
		Station Total	1	39	1	0	0	0	0	0	0	0	3	0	0
	Station 101 Perris City	City of Menifee	1	6	0	0	0	0	0	0	0	1	0	0	8
		Station Total	1	6	0	0	0	0	0	0	0	0	1	0	0
	Battalion Total		2	45	1	0	0	0	0	0	0	0	4	0	0
Battalion 13	Station 5 Quail Valley	City of Menifee	5	76	3	0	2	0	0	0	1	5	0	0	92
		Station Total	5	76	3	0	2	0	0	0	1	5	0	0	92
	Station 7 Sun City	City of Menifee	13	476	1	5	41	2	1	1	2	13	0	1	556
		Station Total	13	476	1	5	41	2	1	1	2	13	0	1	556
	Station 68 Menifee	City of Menifee	9	96	5	1	8	0	0	0	1	9	1	1	131
		Station Total	9	96	5	1	8	0	0	0	1	9	1	1	131
	Station 76 Menifee Lakes	City of Menifee	17	246	2	0	16	1	0	2	2	24	0	1	311
		Station Total	17	246	2	0	16	1	0	2	2	24	0	1	311
	Battalion Total		44	894	11	6	67	3	1	3	6	51	1	3	1,090
Battalion 15	Station 73 Rancho California	City of Menifee	0	0	0	0	0	0	0	0	0	2	1	0	3
		Station Total	0	0	0	0	0	0	0	0	0	2	1	0	3
	Station 83 French Valley	City of Menifee	0	1	0	0	0	0	0	0	0	0	0	0	1
		Station Total	0	1	0	0	0	0	0	0	0	0	0	0	1
	Battalion Total		0	1	0	0	0	0	0	0	0	2	1	0	4
Grand Total			46	940	12	6	67	3	1	3	6	57	2	3	1,146

MONTH = 5 and YEAR = 2023 and CITYNAME = 'Menifee'



#### Legend

- |  |  |  |  |
|--|--|--|--|
|  Fire    |  Medical    |  Riverside County |  Fire Station |
|  Hazard  |  Other Misc |  Reservations     |  Casinos      |
|  Haz Mat |  PSA        |  |  |



Riverside County Fire GIS

## STATION ACTIVITIES AND EVENTS

### School and Education Event Programs and Station Tours:

05/05/2023 units participated in an evacuation drill at the under-construction Menifee Justice Center.  
05/06/2023 Engine 68 participated in an event at Louis Nursery.  
05/17/2023 D3105 and units from Station 07 attended the ribbon cutting for new Medic Squad 07.  
05/24/2023 Units attended a career day at Evans Ranch Elementary School.  
05/24/2023 Station 76 conducted a tour of fire station 76.  
05/25/2023 station 76 units attended a Health and Safety fair at the Oasis club house.  
05/29/2023 units participated in the City of Menifee Memorial Day Service.  
05/29/2023 Station 76 units participated in the Oasis community Memorial Day Parade.  
05/31/2023 station 76 units attended a career day at Southshore Elementary School.  
05/31/2023 station 05 conducted a school tour of the station for Quail Valley Elementary School.

#### AUTO AID

Menifee to Canyon Lake	6
Canyon Lake to Menifee	1

#### ASSISTANCE

Menifee Units out of City	124
Received into City	56



**RIVERSIDE COUNTY FIRE DEPARTMENT  
OFFICE OF THE FIRE MARSHAL  
CITY OF MENIFEE**



## MONTHLY ACTIVITY REPORT – MAY 2023

ACTIVITY	TOTAL
Total Number of Plan Reviews Completed	261
Plan Review Turnaround Time (Goal is 10 Days)	10
Total Number of Inspections Conducted	130
Inspection Turnaround Time (Goal is within 3 Days of Contact)	2
Planning & Development Cases Reviewed	153
Weed Abatement Inspections	0
Special Event Inspections	3
Description of Significant Activities/Major Accomplishments: 97 applications processed, staff attended Stats & Regs, Aerial & Theatrical Training. All staff received CPR, BLS, AED training. - New Office Specialist Liliana Emfinger started 5/22	



# Riverside County Fire Department/ CAL FIRE

## Significant Incident Report Form for City of Menifee



**Bill Weiser**

**Fire Chief**

### Incident Description

<b>Incident Number:</b>	23CARRU075392	<b>Incident Date:</b>	5/24/2023 7:04:00AM
<b>Incident Name:</b>	Southshore	<b>Acres Burned:</b>	0
<b>Incident Location:</b>	30975 Southshore Dr	<b>Occupancy:</b>	Commercial Building
<b>Incident Area:</b>	Menifee	<b>Fire Cause:</b>	
<b>Total Lost:</b>		<b>Total Saved:</b>	
<b>Activated:</b>	None Reported		

### Comments/Narrative

Menifee Lakes fire engine 76 arrived at scene of Southshore Elementary School to find construction crews had hit a one inch gas line while digging on school property. A representative from Menifee Union School District was on scene and made the decision to close the School for the day.

Crews from Southern California Gas Co arrived at scene and were able to mitigate the gas leak.

Injuries	Minor	Moderate	Major	Fatalities
<b>Civilian:</b>	1	0	0	0
<b>Fire Fighter:</b>	0	0	0	0

### Resources

<b>First Due Station:</b>	76 Menifee Lakes	<b>Incident Duration:</b>	2 HRS						
<b>Engines:</b>	3	<b>Ambulance - Air:</b>	0	<b>Haz Mat Units:</b>	0	<b>Air Attacks:</b>	0	<b>Chief Officers:</b>	1
<b>Truck Co's:</b>	0	<b>Ambulance - Grd:</b>	0	<b>Water Tenders:</b>	0	<b>Air Tankers:</b>	0	<b>Firefighters:</b>	9
<b>Squads:</b>	0	<b>Breathing Support:</b>	0	<b>Bulldozers:</b>	0	<b>Helicopters:</b>	0	<b>Fire Crews:</b>	0
<b>Medic Unit:</b>	0							<b>Overhead Pers:</b>	0

### Cooperating Agencies

Menifee PD

### Prepared By

<b>Created Date:</b>	5/24/2023 9:23:00AM	<b>Created By:</b>	WILLIAM LAWE II
<b>Approved Date:</b>	5/24/2023 9:23:00AM	<b>Approved By:</b>	WILLIAM LAWE II, BATTALION CHIEF



# Riverside County Fire Department/ CAL FIRE

## Significant Incident Report Form for City of Menifee



Bill Weiser

Fire Chief

### Incident Description

<b>Incident Number:</b>	23CARRU072594	<b>Incident Date:</b>	5/18/2023 9:56:00PM
<b>Incident Name:</b>	Menifee	<b>Acres Burned:</b>	0
<b>Incident Location:</b>	NB I215, N of Scott	<b>Occupancy:</b>	Highway
<b>Incident Area:</b>	Menifee	<b>Fire Cause:</b>	
<b>Total Lost:</b>		<b>Total Saved:</b>	
<b>Activated:</b>	None Reported		

### Comments/Narrative

CAL FIRE/ County of Riverside Fire Department firefighters responded to vehicle collision on the NB I215, north of Scott Rd. The initial Company Officer reported three vehicles involved with parties trapped, including a semi-truck. Law enforcement shut down the freeway for firefighter safety. Personnel were able to extricate the trapped person quickly and evaluate the victims for medical needs. No further injuries occurred during the incident.

Injuries	Minor	Moderate	Major	Fatalities
Civilian:	1	0	0	1
Fire Fighter:	0	0	0	0

### Resources

<b>First Due Station:</b>	68 Menifee	<b>Incident Duration:</b>	1 hour						
<b>Engines:</b>	3	<b>Ambulance - Air:</b>	0	<b>Haz Mat Units:</b>	0	<b>Air Attacks:</b>	0	<b>Chief Officers:</b>	1
<b>Truck Co's:</b>	1	<b>Ambulance - Grd:</b>	1	<b>Water Tenders:</b>	0	<b>Air Tankers:</b>	0	<b>Firefighters:</b>	13
<b>Squads:</b>	0	<b>Breathing Support:</b>	0	<b>Bulldozers:</b>	0	<b>Helicopters:</b>	0	<b>Fire Crews:</b>	0
<b>Medic Unit:</b>	0							<b>Overhead Pers:</b>	0

### Cooperating Agencies

CHP

### Prepared By

<b>Created Date:</b>	5/18/2023 11:30:00PM	<b>Created By:</b>	MIKE BALLINGER
<b>Approved Date:</b>	5/18/2023 11:30:00PM	<b>Approved By:</b>	MIKE BALLINGER, BATTALION CHIEF



# Riverside County Fire Department/ CAL FIRE

## Significant Incident Report Form for City of Menifee



Bill Weiser

Fire Chief  
**UPDATE**

### Incident Description

<b>Incident Number:</b>	23CARRU067430	<b>Incident Date:</b>	5/9/2023 7:16:00AM
<b>Incident Name:</b>	Bouris	<b>Acres Burned:</b>	0
<b>Incident Location:</b>	29376 Bouris Dr	<b>Occupancy:</b>	Single Family Residence
<b>Incident Area:</b>	Menifee	<b>Fire Cause:</b>	Accidental
<b>Total Lost:</b>	\$75,000.00	<b>Total Saved:</b>	\$300,000.00
<b>Activated:</b>	Fire Alarm, Fire Sprinkler		

### Comments/Narrative

CAL FIRE/Riverside County Fire Department responded to a reported structure fire at the above location. First onscene company officer reported a 2 story single family residence with light smoke coming from a second story window. Crews made access to find a fire in laundry room confined to a dryer. The fire activated the residential fire sprinkler system and caused extensive water damage throughout the structure. Building and safety arrived at scene and advised the residents can stay in the residence.

Property Damage	Residential	Commercial	Out Buildings	Vehicles
Threatened:	0	0	0	0
Damaged:	1	0	0	0
Destroyed:	0	0	0	0

### Resources

<b>First Due Station:</b>	76 Menifee Lakes	<b>Incident Duration:</b>	2 hours	
<b>Engines:</b> 4	<b>Ambulance - Air:</b> 0	<b>Haz Mat Units:</b> 0	<b>Air Attacks:</b> 0	<b>Chief Officers:</b> 1
<b>Truck Co's:</b> 1	<b>Ambulance - Grd:</b> 0	<b>Water Tenders:</b> 0	<b>Air Tankers:</b> 0	<b>Firefighters:</b> 18
<b>Squads:</b> 1	<b>Breathing Support:</b> 0	<b>Bulldozers:</b> 0	<b>Helicopters:</b> 0	<b>Fire Crews:</b> 0
<b>Medic Unit:</b> 0				<b>Overhead Pers:</b> 0

### Cooperating Agencies

Menifee PD

### Building Owner/Occupant

Maria Antonio	mommya167@gmail.com	8403565135
---------------	---------------------	------------

### Prepared By

<b>Created Date:</b>	5/9/2023 8:26:00AM	<b>Created By:</b>	SCOTT PHILIPPBAR
<b>Approved Date:</b>	5/9/2023 9:58:00AM	<b>Approved By:</b>	SCOTT PHILIPPBAR, BATTALION CHIEF
<b>Modified Date:</b>	5/9/2023 9:58:00AM	<b>Modified By:</b>	SCOTT PHILIPPBAR, BATTALION CHIEF





# Riverside County Fire Department/ CAL FIRE

## Significant Incident Report Form for City of Menifee



Bill Weiser

Fire Chief

### Incident Description

<b>Incident Number:</b>	23CARRU067263	<b>Incident Date:</b>	5/8/2023 7:08:00PM
<b>Incident Name:</b>	Menifee	<b>Acres Burned:</b>	0
<b>Incident Location:</b>	Menifee Rd X Simpson Rd.	<b>Occupancy:</b>	LRA Land
<b>Incident Area:</b>	Menifee	<b>Fire Cause:</b>	
<b>Total Lost:</b>		<b>Total Saved:</b>	
<b>Activated:</b>	None Reported		

### Comments/Narrative

Firefighters were dispatched to the location above to a reported mountain bike rider that had fallen from his bike in the hills, and was injured. Due to the location of the victim a hoist helicopter was requested to remove the victim from the remote location. A landing zone was established at a near by school to offload the patient and transport him to a local hospital by ground ambulance.

Injuries	Minor	Moderate	Major	Fatalities
Civilian:	0	1	0	0
Fire Fighter:	0	0	0	0

### Resources

<b>First Due Station:</b>	76 Menifee Lakes	<b>Incident Duration:</b>	1 hour						
<b>Engines:</b>	3	<b>Ambulance - Air:</b>	0	<b>Haz Mat Units:</b>	0	<b>Air Attacks:</b>	0	<b>Chief Officers:</b>	1
<b>Truck Co's:</b>	1	<b>Ambulance - Grd:</b>	0	<b>Water Tenders:</b>	0	<b>Air Tankers:</b>	0	<b>Firefighters:</b>	21
<b>Squads:</b>	2	<b>Breathing Support:</b>	0	<b>Bulldozers:</b>	0	<b>Helicopters:</b>	0	<b>Fire Crews:</b>	0
<b>Medic Unit:</b>	0							<b>Overhead Pers:</b>	0

### Cooperating Agencies

American Medical Response

### Prepared By

<b>Created Date:</b>	5/8/2023 8:38:00PM	<b>Created By:</b>	BRENT NORWINE
<b>Approved Date:</b>	5/8/2023 8:38:00PM	<b>Approved By:</b>	BRENT NORWINE, BATTALION CHIEF



# Riverside County Fire Department/ CAL FIRE

## Significant Incident Report Form for City of Menifee



**Bill Weiser**

**Fire Chief**

### Incident Description

<b>Incident Number:</b>	23CARRU066427	<b>Incident Date:</b>	5/7/2023 6:44:00AM
<b>Incident Name:</b>	Target	<b>Acres Burned:</b>	0
<b>Incident Location:</b>	30340 Haun Rd.	<b>Occupancy:</b>	Commercial Building
<b>Incident Area:</b>	Menifee	<b>Fire Cause:</b>	
<b>Total Lost:</b>		<b>Total Saved:</b>	
<b>Activated:</b>	None Reported		

### Comments/Narrative

Firefighters were dispatched to the location above for a reported smell of natural gas in the structure. First fire department unit at scene evacuated the building for public safety as well shut down the natural gas into the building. Southern California Gas Company is on their way to the scene to check gas service and return service to the structure if safe to do so. The business is closed until the gas company can complete an evaluation of the service.

### Resources

<b>First Due Station:</b>	76 Menifee Lakes	<b>Incident Duration:</b>	1						
<b>Engines:</b>	1	<b>Ambulance - Air:</b>	0	<b>Haz Mat Units:</b>	0	<b>Air Attacks:</b>	0	<b>Chief Officers:</b>	1
<b>Truck Co's:</b>	1	<b>Ambulance - Grd:</b>	0	<b>Water Tenders:</b>	0	<b>Air Tankers:</b>	0	<b>Firefighters:</b>	7
<b>Squads:</b>	0	<b>Breathing Support:</b>	0	<b>Bulldozers:</b>	0	<b>Helicopters:</b>	0	<b>Fire Crews:</b>	0
<b>Medic Unit:</b>	0							<b>Overhead Pers:</b>	0

### Prepared By

<b>Created Date:</b>	5/7/2023 7:35:00AM	<b>Created By:</b>	BRENT NORWINE
<b>Approved Date:</b>	5/7/2023 7:35:00AM	<b>Approved By:</b>	BRENT NORWINE, BATTALION CHIEF



# Riverside County Fire Department/ CAL FIRE

## Significant Incident Report Form for City of Menifee



Bill Weiser

Fire Chief

### Incident Description

<b>Incident Number:</b>	23CARRU065641	<b>Incident Date:</b>	5/5/2023 3:08:00PM
<b>Incident Name:</b>	Monte	<b>Acres Burned:</b>	0
<b>Incident Location:</b>	29140 Del Monte Dr	<b>Occupancy:</b>	Single Family Residence
<b>Incident Area:</b>	Menifee	<b>Fire Cause:</b>	Undetermined
<b>Total Lost:</b>	\$150,000.00	<b>Total Saved:</b>	\$20,000.00
<b>Activated:</b>	None Reported		

### Comments/Narrative

Sun City Fire Engine 07 arrived on scene to find a single story, single family dwelling residence with heavy smoke and fire from the roof and attic. Firefighters were able to keep the fire to the structure of origin.

Three adult residents will stay with a neighbor.

City of Menifee Building and Safety requested and responded to the incident.

Property Damage	Residential	Commercial	Out Buildings	Vehicles
Threatened:	0	0	0	0
Damaged:	0	0	0	0
Destroyed:	1	0	0	0

### Resources

<b>First Due Station:</b>	07 Sun City	<b>Incident Duration:</b>	2 HRS	
<b>Engines:</b> 5	<b>Ambulance - Air:</b> 0	<b>Haz Mat Units:</b> 0	<b>Air Attacks:</b> 0	<b>Chief Officers:</b> 1
<b>Truck Co's:</b> 1	<b>Ambulance - Grd:</b> 0	<b>Water Tenders:</b> 0	<b>Air Tankers:</b> 0	<b>Firefighters:</b> 23
<b>Squads:</b> 2	<b>Breathing Support:</b> 1	<b>Bulldozers:</b> 0	<b>Helicopters:</b> 0	<b>Fire Crews:</b> 0
<b>Medic Unit:</b> 0				<b>Overhead Pers:</b> 0

### Cooperating Agencies

Menifee PD  
Southern California Edison  
Southern California Gas

### Prepared By

<b>Created Date:</b>	5/5/2023 4:11:00PM	<b>Created By:</b>	WILLIAM LAWE II
<b>Approved Date:</b>	5/5/2023 4:11:00PM	<b>Approved By:</b>	WILLIAM LAWE II, BATTALION CHIEF